

Information Sheet Use of helium-filled balloons

As a matter of principle, only non-combustible gases shall be used at the Wiesbaden Congress & Marketing venues and outdoor areas.

The following points shall be complied with if helium balloons are to be used for marketing purposes at a stand:

- The maximum construction height of the respective hall/room shall not be exceeded with the balloons
- The balloons shall be secured against rising with wire ropes; their tearing away shall be prevented at all costs
- They shall be used inside the stand area only
- If advertising material is printed on them, they shall observe a minimum distance of 1.0 m to the neighbouring stands
- Only one pressurised gas cylinder of max. 11 kg shall be placed for refilling purposes at the stand
- Unauthorised persons shall not attain access to the pressurized gas cylinders
- Care shall be taken that the vessel is secured against falling over during filling

All provisions of the TRG 280 and BGV B6 shall be complied with. Only equipment that is suitable for the material, the planned pressure and the temperature shall be used. The pressurised gas cylinders shall be kept away from sources of heat. The gas cylinders shall **NOT** be stored in the halls, salons and rooms.

-

The following information applies exclusively to events in the RheinMain CongressCenter: Expert storage by our logistics planner is possible in the RheinMain CongressCenter, if required. Please contact our logistics partner who will store your products professionally and properly for a fee.

Email: info@steinbrueck-dienstleistungen.com

We will be happy to assist you with any general questions.

Wiesbaden Congress & Marketing GmbH | Postfach 38 40 | 65028 Wiesbaden

RheinMain CongressCenter: veranstaltungstechnik@wicm.de

Kurhaus Wiesbaden: kurhaus@wicm.de

Jagdschloss Platte: jagdschloss-platte@wicm.de